

# OPTIONS


Cantilevers with PIEK Certificate



**1**  
F3 CLP 10-15-20-30 special cantilevers 1000 to 3000kg capacity for quiet deliveries and night time operations. It includes a silent power pack, sound-deadening platform coating and automated trolley stops.



**2**  
Foot control.



**3**  
Extra-thin control with in-cab switch (main control for original vans).



**4**  
Inside body remote control (spiral cable).



**5**  
2 functions radio control with case.



**6**  
4 functions radio control with case.



**7**  
Vehicle battery charger for the radio control, with rechargeable battery.




**8**  
Rear bumper in one piece bolted on the arm.



**9**  
Rear bumper in 3 pieces factory welded to the beam.



**10**  
Automatic trolley stop (2 stops).




**11**  
Automatic trolley stop (6 stops).




**12**  
Lock-handle kit for locking the platform in the rest position.




**13**  
Folding cantilever platform for drop side body.




**14**  
Aluminium platform extension (for each 200 mm).



**15**  
Assisted platform opening.



**16**  
Platform extension for fridge bodies.




17

Seals kit for closing platform to body.



18

Flashing lights on platform.



19

Mechanical stop to the body



20

Support for the quick assembly of the control box.




21


Safety gate.



22



22



22

Guard and side ramp (dual-purpose type)



23




23

Guard hinged and folding on platform.



24



24

3 position hinged safety gate.

<<F3RE AM - F3RE CC




25



25

Structure to be fixed under the semi-trailer body to house 2 guards and the side ramp




26

Fully assembled retractable lift at factory.



27

Removable hydraulic power pack not integrate with the lift.



**28**  
Hydraulic stabilizers (already fitted).




**29**  
Acoustic and illuminated alarm system for hydraulic outriggers.




**30**  
Mechanical stabilizers.




**31**  
Battery protector.




**32**  
Tractor/trailer electrical coupling.



**33**  
F3CL080 - Power pack inside rear bumper for narrow bodies.



**34**  
F3CL10 - Power pack inside rear bumper for narrow bodies.



**35**  
2 Brackets for truck rear lights (quick fitting).




**36**  
Towing hook support kit for F3CL 080 W58 and F3CL 080 W 123.



**37**  
Colour at customer specs. upon RAL table (no charge for minimum 10 unit plus).




**38**



**39**  
All steel components hot-dip galvanised (on demand).




**40**  
Control box when options 40 or options 41 is supplied.



**40**  
Antec light on cabine showing platform position and on/off switch for vehicles not prepared with VEHH wiring.




**41**  
Plug for light on cabine showing platform position and on/off switch for vehicles factory prepared with VEHH wiring.




**42**  
Plugs for vehicles factory prepared with VEHH battery cables wiring.



43



43



43


Model	Length (L) mm	Capacity kgs	Weight kgs
WG-SC 1	980	600	13
WG-SC 2	1.180	600	15
WG-SC 4	1.480	600	18
WG-SC 3	1.980	600	24

#### 43 WG-SC SIDE RAMPS

Removable model for fixing to an aluminium rail integrated within the tail-lift's platform. Includes wheel guides, and safety curbs both sides.



44



44

Model	Length (L) mm	Capacity kgs	Weight kgs
SC 1	1.000	600	15
SC 2	1.200	600	18
SC 3	2.000	600	30

#### 44 SC SIDE RAMPS

A removable model for fixing to an aluminium rail integrated within the tail-lift's platform. No wheel guides. Safety curbs on both sides.




45



45

Perforated premium aluminium platform.



46

Platform milling for side grip.